Virtual Reality



- Stereopsis : Stereopsis is from the Greek word for "solid sight", and thus refers to perception of three-dimensional shape from any source of depth information.
- Personal usage
- Usage may be disturbing
- Narrow viewing angle (like a tunnel)
- Maximum resolution:1280x1024
- Tracking is possible
- Display types:
- CRT, LCD, OLED, LCOS, FLCOS





AUDIO OUTPUT DEVICE



The term "Audio Output Device" refers to any device that attaches to a computer for the purpose of playing sound, such as music or speech. The term can also refer to a computer sound card.

Types Of Audio Output Device:-

- 1. Speakers
- 2. 2. HeadPhones
- 3. 3. Sound Card



PROJECTOR



Projector was invented by Charles Francis Jenkins.

 A projector or image projector is an optical device that projects an image (or moving images) onto a surface, commonly a projection screen.



CAD Standards



 CAD Standards are a set of guidelines for the way Computer-aided design (CAD) drawings should appear, to improve productivity and interchange of CAD documents between different offices and CAD programs, especially in architecture and engineering

Need for graphic standards

- Need for portability of the geometric model among different hardware platforms.
- Exchange drawing database among software packages.
- Need for exchanging graphic data between different computer system.
- Need for the requirement of graphic data exchange formats and their details such as IGES ,DXF,STEP.

Questions



- 1. What is the structure of a computing system?
- 2. What do you understand by the CPU?
- 3. List the advantages of computer aided design.
- 4. Bring out clearly the difficulties a design engineer has to face at each of the Design stages if they are carried out manually.
- 5. What is meant by homogeneous coordinate?
- 6. Difference between sequential and concurrent engineering?
- 7. Write briefly on the secondary storage devices used in CAD System.
- 8. What are the functions of an interactive graphic design workstation?