



Reflection about Y-axis



$$\begin{vmatrix} x \\ y \\ 1 \end{vmatrix} = \begin{vmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{vmatrix} * \begin{vmatrix} x \\ y \\ 1 \end{vmatrix}$$


What's the Transformation Matrix?



$$\begin{vmatrix} x \\ y \\ 1 \end{vmatrix} = \begin{vmatrix} -1 & 0 & 0 \\ 0 & -1 & 0 \\ 0 & 0 & 1 \end{vmatrix} * \begin{vmatrix} x \\ y \\ 1 \end{vmatrix}$$

Lecture No 28 Topic: Arbitrary Rotation Center

- To rotate about an arbitrary point $P (p_x, p_y)$ by θ :
 - Translate the object so that P will coincide with the origin: $T(-p_x, -p_y)$
 - Rotate the object: $R(\theta)$
 - Translate the object back: $T(p_x, p_y)$



Arbitrary Rotation Center


- Translate the object so that P will coincide with the origin: $T(-px, -py)$
 - Rotate the object: $R(\theta)$
 - Translate the object back: $T(px, py)$
- Put in matrix form: $T(px, py) R(\theta) T(-px, -py) * P$

$$\begin{vmatrix} x' \\ y' \\ 1 \end{vmatrix} = \begin{vmatrix} 1 & 0 & px \\ 0 & 1 & py \\ 0 & 0 & 1 \end{vmatrix} \begin{vmatrix} \cos(\theta) & -\sin(\theta) & 0 \\ \sin(\theta) & \cos(\theta) & 0 \\ 0 & 0 & 1 \end{vmatrix} \begin{vmatrix} 1 & 0 & -px \\ 0 & 1 & -py \\ 0 & 0 & 1 \end{vmatrix} \begin{vmatrix} x \\ y \\ 1 \end{vmatrix}$$

Scaling Revisit

- The standard scaling matrix will only anchor at (0,0)

$$\begin{matrix} S_x & 0 & 0 \\ 0 & S_y & 0 \\ 0 & 0 & 1 \end{matrix}$$



- What if I want to scale about an arbitrary pivot point?

